




CODO 90° FVS
RADIO LARGO
304 SCH10/SCH40
316L SCH40



CODO 90° FVS

RADIO LARGO



NPS	D mm.	R mm.	Schedule 5S		Schedule 10S		Schedule 40S	
			P mm.	Peso aprox. Approx. weight Kg/Und	P mm.	Peso aprox. Approx. weight Kg/Und	P mm.	Peso aprox. Approx. weight Kg/Und
1/2"	21,3	38,1	1,65	0,06	2,11	0,06	2,77	0,08
3/4"	26,7	28,6	1,65	0,06	2,11	0,70	2,88	0,09
1"	33,4	38,1	1,65	0,06	2,77	0,14	3,38	0,16
1 1/4"	42,2	47,6	1,65	0,14	2,77	0,23	3,56	0,25
1 1/2"	48,3	57,2	1,65	0,17	2,77	0,31	3,68	0,40
2"	60,3	76,2	1,65	0,29	2,77	0,51	3,91	0,71
2 1/2"	73,0	95,3	2,11	0,68	3,05	0,85	5,16	1,40
3"	88,9	114,3	2,11	0,90	3,05	1,20	5,49	2,20
3 1/2"	101,6	133,4	2,11	1,20	3,05	1,70	5,74	2,83
4"	114,3	152,4	2,11	1,50	3,05	2,20	6,02	4,16
5"	141,3	190,5	2,77	2,95	3,40	3,60	6,55	6,85
6"	168,3	228,6	2,77	4,50	3,40	5,40	7,11	10,87
8"	219,1	304,8	2,77	7,80	3,76	10,60	8,18	21,50
10"	273,0	381,0	3,40	14,50	4,19	19,50	9,27	38,50
12"	323,9	457,2	3,96	23,10	4,57	27,20	9,53	59,30
14"	355,6	533,4	3,96	30,80	4,77	36,20	9,53	70,20
16"	406,4	609,6	4,19	45,30	4,77	47,60	9,53	91,50
18"	457,2	685,8	4,19	56,60	4,77	59,80	9,53	121,80
20"	508,0	762,0	4,77	74,70	5,54	99,70	9,53	149,50
24"	609,6	914,4	5,54	126,80	6,35	140,40	9,53	210,00





2023 Fullvalves Company. Todos los derechos reservados. fullvalves.com