




VÁLVULA DE COMPUERTA
ACERO INOXIDABLE 316
ANSI CLASE 150 LBS





N°.	PARTS	MATERIAL
1	BODY	ASTM A351 CF8M
2	SEAT RING	ASTM A351 CF8M
3	WEDGE	ASTM A351 CF8M
4	STEM	ASTM A 182 F316
5	GASKET	PTFE
6	BONNET	ASTM A351 CF8M
7	STUD	ASTM A193-B8M
8	NUT	ASTM A194-8M
9	BACKSEAT	ASTM A351 CF8M
10	PACKING	GRAPHITE
11	PIN	S.S
12	GLAND BOLT	ASTM A193-B8M
13	GLAND NUT	ASTM A194-8M
14	BUSHING	S.S
15	GLAND	ASTM A351 CF8M
16	STEM NUT	ZcuA110Fe3 BRONZE
17	LUBRICATOR	Cu
18	RETAINING NUT	C.S+Cr
19	HANDWHEEL	ASTM A47
20	H.W. LOCK NUT	C.S+Cr

NPS	L	b	D	D1	D2	f	z-d
2"	178	16	152	120,5	92	1,6	4-19
3"	203	19	190	152,5	127	1,6	4-19
4"	229	24	229	190,5	157	1,6	8-19
6"	267	26	279	241,5	216	1,6	8-22
8"	292	29	343	298,5	270	1,6	8-22
10"	330	31	406	362	324	1,6	12-25
12"	356	32	483	432	381	1,6	12-25

PERFORMANCE SPECIFICATION		
NOMINAL PRESSURE	CLASS 150 LB	TEST MEDIUM
SHELL TEST	(3,0MPa)	WATER
SEAL TEST	(2,2MPa)	
BACK SEAL TEST	(2,2MPa)	
AIR SEAL TEST	80LB (0,6MPa)	AIR
SUITABLE TEMPERATURE	-29 ~ 425°C	
SUITABLE MEDIA	WATER STEAM OIL	





2023 Fullvalves Company. Todos los derechos reservados. fullvalves.com