




**VÁLVULA RETENCIÓN
CHAPALETA**

ACERO INOXIDABLE 316
ANSI CLASE 150





STANDARDS:

Design and manufacture: ASME B16.34

Face to Face dimension: ASME B16.10

Flanged End: ASME B16.5

Pressure temperature ratings: ASME B16.34

Pressure test: API 598

Nominal Pressure	Class 150	Test Medium
Shell Test	(3.1 Mpa)	Water
Seal Test	(2.2MPa)	
Back Seal Test		
Air Seal Test	80Lb (0.6 Mpa)	Air
Suitable Temperature	-29°C ~ 425°C	
Suitable Media	Water - Steam - Oil	

N°	PARTS	MATERIAL
1	Body	ASTM A351 CF8M
2	Seat Ring	ASTM A351 CF8M
3	Disc	ASTM A351 CF8M
4	Pin	SS316
5	Nut	ASTM A194-8M
6	GasKet	SS316
7	Hinge	ASTM A351 CF8M
8	Hinge Pin	SS316
9	Boit	ASTM A193-B8M
10	GasKet	PTFE
11	Bonnet	ASTM A351 CF8M
12	Stud	ASTM A193-B8M
13	Nut	ASTM A194-8M
14	Eye Screw	S.S

NPS	L	D	D1	D2	b	z-d	f
1"	127	110	79.5	51	15	4-16	1.6
1 ½"	165	127	98.5	73	17.5	4-16	1.6
2"	203	152	120.7	92	19	4-19	1.6
3"	241	190.5	152.5	127	24	4-19	1.6
4"	292	229	190.5	157	24	8-19	1.6
6"	356	279	241	216	26	8-22	1.6
8"	495	343	298.5	270	29	8-22	1.6
10"	622	406	362	324	31	12-25	1.6
12"	698	483	432	381	32	12-25	1.6





2023 Fullvalves Company. Todos los derechos reservados. fullvalves.com